



# Ambisonic Speaker Collection

## Landscape Bollard 10



ALSBI06RD



ALSBI06SQ



360° or 180° Dispersion

## ALSBI06RD | ALSBI06SQ

### Description

The Ambisonic Luxury Bollard 10 is the latest level up in outdoor listening. Each bollard features a *massive 10" burial subwoofer*, a *6 1/2" high power mid-range*, and lastly, in true Ambisonic style, an iconic *1" high definition conical ribbon tweeter*. The all weather exterior sleeves come in *6 styles*, each made to measure a tall and a *sleek 27" height*. A combination of outdoor sound and look, unparalleled in design and construction.

The integrated burial subwoofer delivers the punch, impact and clean tight bass necessary for the outdoors, perfectly complimenting the High Definition Tweeter. This tweeter can be *customized for a 180° or 360° dispersion*, depending on your landscaping context. Backyard, patio and pool areas will come alive with incredible clarity and detailed sound.

Engineered to give you years of listening satisfaction and pleasure, the ported composite enclosure, and all components, are designed to withstand the harshest of environmental conditions in any permanent landscape installation.

### Features

- 1 ● 2 Wire Pigtail Inputs
- 2 ● Selectable 8 Ω / 100W / 50W / (70V) Transformer Tap
- 3 ● Quick-Connect for Bollard Sleeve mounting
- 4 ● Poly Composite Weather Resistant Enclosure
- 5 ● High Definition Conical Ribbon Tweeter

Scan the QR Code for full instructions for this product.





## Conical Ribbon Driver

The Bollard 10's highly efficient conical ribbon driver features an ultra-sensitive aluminum diaphragm, energized by a neodymium motor, capable of accentuating your audio signals into the ultimate high fidelity reproduction, with minimal distortion.

Designed and constructed to project sound longer distances than previous bollards, the Bollard 10 brings those deeply important key transients and higher frequency nuances for a powerful 360° outdoor sound immersion experience.

## Specifications

SPECIFICATIONS	ALSB106RD/ ALSB106SQ
Woofer	10" Polypropolyne Woofer
Midrange	6.5" Polypropolyne Woofer
Tweeter	1" HD Aluminum Conical Ribbon Tweeter
Frequency Response	32HZ - 20KHZ
Power RMS	100W
Power Peak	300W
Impedance	8 Ohm (Sub) / 8 Ohm (Sat)
Transformer Taps	Selectable 8 Ω, 100W, 50W, (70V)
Subwoofer Diameter	17 23/32" (450mm)
Mounting Depth	9 9/16" (243mm)
Satellite Diameter	7 7/8" (200mm) - Round / 8 17/64" (210mm) -Square
Sleeve Height	27 3/32" (693mm)
Total Height	36 27/32" (936mm)
Enclosure Material	Poly Composite, Weather Resistant Enclosure


<u>ROUND SLEEVE:</u>		Sleeve Color	Sound Dispersion
ALSB106RD-Black360		Black	360°
ALSB106RD-Black180		Black	180°
ALSB106RD-Silver360		Silver	360°
ALSB106RD-Silver180		Silver	180°
ALSB106RD-Bronze360		Bronze	360°
ALSB106RD-Bronze180		Bronze	180°


<u>SQUARE SLEEVE:</u>		Sleeve Color	Sound Dispersion
ALSB106SQ-Black360		Black	360°
ALSB106SQ-Black180		Black	180°
ALSB106SQ-Silver360		Silver	360°
ALSB106SQ-Silver180		Silver	180°
ALSB106SQ-Bronze360		Bronze	360°
ALSB106SQ-Bronze180		Bronze	180°

\*All product specifications are subject to change. Correct as of 04-18-23. Please refer to [ambisonicsystems.com](http://ambisonicsystems.com) for latest information.

## Line Drawings






**Round Sleeve Bollard (1)**



**Square Sleeve Bollard (1)**




\*All product specifications are subject to change. Correct as of 04-18-23. Please refer to [ambisonicsystems.com](http://ambisonicsystems.com) for latest information.

## Line Drawings



ALSB106RD

Round Sleeve Bollard



ALSB106SQ

Square Sleeve Bollard

\*All product specifications are subject to change. Correct as of 04-18-23. Please refer to [ambisonicsystems.com](http://ambisonicsystems.com) for latest information.